



TREKKING OFFROAD 2010

THE NEW COLLECTION

CHRONOS LC MASTER * ONLY 10,9 KG

-  KTM Full-Carbon, Monocoque-construction
-  Suntour SF10 NCX-E RL LITE, Travel: 63
-  Shimano Deore XT
-  Shimano SLX Disc
-  10,9 kg without pedals and kickstand

FRAME TECHNOLOGY

Full-Carbon, Monocoque-construction
Off-Road geometry
head tube for integrated head set
"new clean-shape" for top and down tube
Monostay rear end with "muscle-Shape"
chain- and seat stays S-Bend
eyelets for carrier mounting





LEGGERO

KTM TrOFF (Trekking Offroad Sport Frame)

EN KTM is a pioneer in designing trekking offroad bikes. This is proven by the racy TrOFF frame that guarantees comfort and joy. The alternating tube shapes elegantly reduce weight and provide dependable stiffness. The frame is ready for anything: The multipurpose dropout, developed by KTM, allows the attachment of carriers and fenders at any time.

DE KTM ist Pionier bei Trekking-Offroad-Rädern. Das beweist der sportliche TrOFF-Rahmen, der Komfort und Fahrfreude gewährleistet. Die changierenden Rohrformen reduzieren das Gewicht elegant und sorgen dabei für ordentliche Steifigkeit. Der Rahmen ist für alles bereit: Das von KTM entwickelte multifunktionale Ausfallende macht das Nachrüsten von Gepäckträgern und Schutzblechen jederzeit möglich.

IT KTM è il pioniere delle biciclette offroad-trekking. Questo è provato dai telai sportivi TrOFF che garantiscono confort e divertimento ad ogni uscita. I tubi formati in modo speciale abbassano il peso notevolmente e garantiscono una rigidità straordinaria. Un telaio capace di tutto, predisposto per il montaggio di porta pacchi e parafranghi.

ES KTM es pionera en el desarrollo de bicicletas trekking para la montaña. La prueba la ofrece este cómodo y divertido cuadro. La elegancia de sus tubos y formas reduce el peso del cuadro y genera más rigidez al mismo. Este cuadro está preparado para todo: Los tirantes permiten llevar portabultos o guardabarros.

FR KTM est pionnier des vélos de Trekking Offroad. Cela montre le cadre sportif TrOFF, qui garantit le confort et le plaisir. Les formes travaillées des tubes réduisent le poids et garantissent une rigidité extraordinaire. Le cadre est adapté à toute utilisation: La nouvelle technique KTM de fixation des pattes de dérailleurs rend possible de le montage des porte-bagages et des garde-boues.




LEGGERO CROSS * ONLY 11,1 KG

-  KTM Alloy KTM A4 triple-buttet
-  Suntour SF10 NCX-E RL LITE, Travel: 63
-  Shimano Deore XT
-  Shimano Deore XT V-Brake
-  11.1 kg without pedals and kickstand

RADTOUREN MAGAZIN 04/2009

»RADtouren-Test Empfehlung:
Top Produkt.«




FRAME TECHNOLOGY

Alloy KTM A4 triple-buttet
Off-Road geometry
head tube for integrated head set
"new clean-shape" for top and down tube
Monostay rear end with "muscle-Shape"
chain- and seat stays S-Bend
eyelets for carrier mounting

LEGGERO RACE * ONLY 11,8 KG

-  KTM Alloy KTM A4 triple-buttet
-  Suntour SF10 NCX-E RL LITE Travel: 63
-  Shimano Deore XT/Deore LX
-  Shimano Deore LX Disc
-  11.8 kg without pedals and kickstand



LIFE RACE * ONLY 12,5 KG


-  KTM Alloy 6061 triple-buttet
-  Suntour SF10 NCX-D RL LITE Travel: 63
-  Shimano Deore XT/SLX
-  Shimano M486 Disc
-  12.5 kg without pedals and kickstand

FRAME TECHNOLOGY

KTM Alloy 6061 triple-buttet
Off-Road geometry
head tube for integrated head set
"new clean-shape" for top and down tube
Monostay rear end with "muscle-Shape"
chain- and seat stays S-Bend
eyelets for carrier mounting

RADTOUREN MAGAZIN 05/2009

»RADtouren-Test Empfehlung:
Top Produkt. «



LIFE SPEED

-  KTM Alloy 6061 triple-buttet
-  Suntour SF10 NCX-D RL LITE, Travel: 63
-  Shimano Deore LX
-  Shimano Deore V-Brake
-  11.5 kg without pedals and kickstand


FRAME TECHNOLOGY

KTM Alloy 6061 triple-buttet
Off-Road geometry
head tube for integrated head set
"new clean-shape" for top and down tube
Monostay rear end with "muscle-Shape"
chain- and seat stays S-Bend
eyelets for carrier mounting



LIFE ACTION

-  KTM Alloy 6061
-  Suntour SF10 NCX-D LO LITE Travel: 63
-  Shimano Deore XT/Deore LX
-  Magura HS33 hydr. rim brake
-  12.9 kg without pedals and kickstand



LIFE CROSS

-  KTM Alloy 6061
-  Suntour SF10 NCX-D LO LITE Travel: 63
-  Shimano SLX/Deore
-  Magura HS11 hydr. rim brake
-  13,4 kg without pedals and kickstand

FRAME TECHNOLOGY

Alloy 6061
Off-Road geometry
head tube for integrated head set
"new clean-shape" for top and down tube
rear end with "muscle-Shape"
chain- and seat stays S-Bend
eyelets for carrier mounting



LIFE SPRINT

-  KTM Alloy 6061
-  Suntour SF10 NCX-D LO LITE Travel: 63
-  Shimano Deore LX/Deore
-  Shimano M422 V-Brake
-  12,9 kg without pedals and kickstand



LIFE MOTION

-  KTM Alloy 6061
-  Suntour SF10 NEX 4610 MLO Travel: 63
-  Shimano SLX/Alivio
-  Tektro Auriga SUB Disc
-  13,9 kg without pedals and kickstand


FRAME TECHNOLOGY

Alloy 6061
Off-Road geometry
head tube for integrated head set
"new clean-shape" for top and down tube
rear end with "muscle-Shape"
chain- and seat stays S-Bend
eyelets for carrier mounting



LIFE ROAD

-  KTM Alloy 6061
-  Suntour SF10 NEX 4610 MLO Travel: 63
-  Shimano Deore/Alivio
-  Shimano Alivio/M422 V-Brake
-  14,0 kg without pedals and kickstand



LIFE TRACK

-  KTM Alloy 6061
-  Suntour SF10 NEX 4610 MLO Travel: 63
-  Shimano Alivio/ST-EF60 Easyfire plus
-  Shimano M422 V-Brake
-  13,4 kg without pedals and kickstand

FRAME TECHNOLOGY

Alloy 6061
Off-Road geometry
head tube for integrated head set
"new clean-shape" for top and down tube
rear end with "muscle-Shape"
chain- and seat stays S-Bend
eyelets for carrier mounting



LIFE ONE

-  KTM Alloy 6061
-  Suntour SF10 NEX 4110 Travel: 63
-  Shimano Acera/ST-EF50 Easyfire
-  Tektro 837-ALV-Brake
-  13,6 kg without pedals and kickstand



CHRONOS LC MASTER

-  46/51/56
-  carbon
-  Suntour SF10 NCX-E RL LITE, Travel: 63, S: Air Spring, D: Hydraulic Damping, A: Preload Adjuster, hydraul. Lockout, Remote Lever
-  Shimano Deore XT Rapidfire plus
-  Shimano Deore XT
-  Shimano Deore XT
-  Shimano HG80
-  Shimano Deore XT Hollowtech II 48Z
-  KTM VP-197 Alloy-MTB Pedal
-  Shimano SLX Disc
-  Shimano SLX Disc CL
-  DT Swiss TK540
-  Ritchey Speedmax Cross 40-622
-  Ritchey Comp Press-Fit integrated
-  Ritchey Pro 4-axis
-  Ritchey Pro Lowrizer OS 31.8
-  Ergon GC-2L Grip with Barend
-  Fizik Pave Sport
-  Ritchey Pro
-  10,9 kg without pedals and kickstand

LEGGERO CROSS

-  46/51/56/60 >< D: 46/51
-  teamorange/white
-  Suntour SF10 NCX-E RL LITE, Travel: 63, S: Air Spring, D: Hydraulic Damping, A: Preload Adjuster, hydraul. Lockout, Remote Lever
-  Shimano Deore XT Rapidfire plus
-  Shimano Deore XT
-  Shimano Deore XT
-  Shimano HG80
-  Shimano Deore XT Hollowtech II 48Z
-  KTM VP-197 Alloy-MTB Pedal
-  Shimano Deore XT, Shimano Deore XT V-Brake
-  Shimano Deore XT
-  DT Swiss TK540
-  Ritchey Speedmax Cross 35-622
-  Ritchey Comp Press-Fit integrated
-  Ritchey Pro 4-axis
-  Ritchey Pro Lowrizer OS 31.8
-  Ergon GC-2L Grip with Barend
-  Fizik Pave Sport
-  Ritchey Pro
-  11,1 kg without pedals and kickstand

LEGGERO RACE

-  46/51/56/60 >< D: 46/51
-  crystalgrey/black
-  Suntour SF10 NCX-E RL LITE, Travel: 63, S: Air Spring, D: Hydraulic Damping, A: Preload Adjuster, hydraul. Lockout, Remote Lever
-  Shimano Deore LX Rapidfire plus
-  Shimano Deore XT
-  Shimano Deore LX
-  Shimano HG61-9
-  Shimano Deore LX Hollowtech II 48Z
-  KTM VP-197 Alloy-MTB Pedal
-  Shimano Deore LX Disc
-  Shimano Deore LX Disc CL
-  Rigida Taurus2000, Alloy
-  Ritchey Speedmax Cross 35-622
-  Ritchey Comp Press-Fit integrated
-  Ritchey Comp
-  Ritchey OE Lowrizer OS 31.8
-  Ergon GC-2L Grip with Barend
-  Fizik Pave Sport
-  Ritchey Comp
-  11,8 kg without pedals and kickstand

LIFE RACE

-  46/51/56/60 >< D: 46/51
-  black/white
-  Suntour SF10 NCX-D RL LITE, Travel: 63, S: Coil Spring, D: Hydraulic Damping, A: Preload Adjuster, hydraul. Lockout, Remote Lever
-  Shimano SLX Rapidfire plus
-  Shimano Deore XT
-  Shimano SLX
-  Shimano HG50-9
-  Shimano SLX Hollowtech II 48Z
-  Wellgo C128, Alloy MTB Pedal symmetric
-  Shimano M486 Disc
-  Shimano Deore CL
-  Rigida Taurus2000, Alloy
-  Ritchey Speedmax Cross 35-622
-  Ritchey Comp Press-Fit integrated
-  Ritchey OE Press-Fit integrated
-  Kateem AS-021 17"
-  Kateem KT2 Trekking OS
-  Ergon GC-2L Grip with Barend
-  KTM VL-3127 Man/VL-4104 Lady
-  Ritchey OE
-  12,5 kg without pedals and kickstand

LIFE SPEED

-  46/51/56/60 >< D: 46/51
-  white
-  Suntour SF10 NCX-D RL LITE, Travel: 63, S: Coil Spring, D: Hydraulic Damping, A: Preload Adjuster, hydraul. Lockout, Remote Lever
-  Shimano Deore LX Rapidfire plus
-  Shimano Deore LX
-  Shimano Deore LX
-  Shimano HG50-9
-  Shimano Deore LX Hollowtech II 48Z
-  Wellgo C128, Alloy MTB Pedal symmetric
-  Magura HS33 hydr. rim brake
-  Shimano Deore, Shimano Deore V-Brake
-  Shimano WH-RS10 wheelset
-  Ritchey Speedmax Cross 35-622
-  Ritchey OE Press-Fit integrated
-  Kateem AS-021 17"
-  Kateem KT2 Trekking OS
-  Ergon GC-2L Grip with Barend
-  KTM VL-3127 Man/VL-4104 Lady
-  Ritchey OE
-  11,5 kg without pedals and kickstand

LIFE ACTION

-  46/51/56/60 >< D: 46/51
-  black
-  Suntour SF10 NCX-D LO LITE, Travel: 63, S: Coil Spring, D: Hydraulic Damping, A: Preload Adjuster, hydraul. Lockout
-  Shimano Deore LX Rapidfire plus
-  Shimano Deore XT
-  Shimano Deore LX
-  Shimano HG50-9
-  Shimano M521 Oktalink 48Z
-  Wellgo C128, Alloy MTB Pedal symmetric
-  Magura HS11, Magura HS11 hydr. rim brake
-  Shimano Deore
-  Ritchey Rock Pro, Alloy
-  Schwalbe Tyrago 37-622
-  Ritchey OE Press-Fit integrated
-  Kateem AS-021 17"
-  Kateem KT2 Trekking OS
-  Ergon GC-2L Grip with Barend
-  KTM VL-3127 Man/VL-4104 Lady
-  Ritchey OE
-  12,9 kg without pedals and kickstand

LIFE CROSS

-  46/51/56/60 >< D: 43/46/51
-  crystalgrey/white, black
-  Suntour SF10 NCX-D LO LITE, Travel: 63, S: Coil Spring, D: Hydraulic Damping, A: Preload Adjuster, hydraul. Lockout
-  Shimano Deore Rapidfire plus
-  Shimano SLX
-  Shimano Deore
-  Shimano HG50-9
-  Shimano M443 Oktalink 48Z
-  Wellgo C128, Alloy MTB Pedal symmetric
-  Magura HS11, Magura HS11 hydr. rim brake
-  Shimano Deore
-  Ambrosio Keba, Alloy
-  Schwalbe Tyrago 37-622
-  Ritchey OE Press-Fit integrated
-  Kalloy AS-820 inclination adjustable
-  Kateem AS-009 17"
-  Kateem 064 Lowrizer 590
-  Selle Italia Jammy GEL, Ergo-Comfortgrip
-  KTM VL-3127 Man/VL-4104 Lady
-  Suntour NEX parallelogram-suspended
-  13,4 kg without pedals and kickstand

LIFE SPRINT

-  46/51/56/60 >< D: 43/46/51
-  1. matt-black, 2. cranberry
-  Suntour SF10 NCX-D LO LITE, Travel: 63, S: Coil Spring, D: Hydraulic Damping, A: Preload Adjuster, hydraul. Lockout
-  Shimano Deore Rapidfire plus
-  Shimano Deore LX
-  Shimano Deore
-  Shimano HG50-9
-  Shimano M443 Oktalink 48Z
-  Wellgo C128, Alloy MTB Pedal symmetric
-  Shimano M421, Shimano M422 V-Brake
-  Shimano Deore
-  Ambrosio Keba, Alloy
-  Schwalbe Tyrago 37-622
-  Ritchey OE Press-Fit integrated
-  Kateem AS-009 17"
-  Kateem 064 Lowrizer 590
-  KTM VLG-709AD Comfortgrip
-  KTM VL-3127 Man/VL-4104 Lady
-  Kateem SP-614
-  12,9 kg without pedals and kickstand

LIFE MOTION

-  46/51/56/60 >< D: 46/51
-  1. anthrazit/white, 2. black
-  Suntour SF10 NEX 4610 MLO, Travel: 63, S: Coil Spring, A: Preload Adjuster, mechan. Lockout
-  Shimano Alivio Rapidfire plus
-  Shimano SLX
-  Shimano Alivio
-  Shimano HG40-8
-  Shimano M361 48Z
-  Wellgo C127, Alloy MTB Pedal symmetric
-  Tektro Auriga SUB Disc
-  Shimano M475 6-Loch
-  Rigida Taurus2000, Alloy
-  Schwalbe Tyrago 37-622
-  Ritchey OE Press-Fit integrated
-  Kateem AS-009 17"
-  Kateem 064 Lowrizer 590
-  KTM VLG-709AD Comfortgrip
-  KTM VL-3127 Man/VL-4104 Lady
-  Kateem SP-614
-  13,9 kg without pedals and kickstand

LIFE ROAD

-  46/51/56/60 >< D: 43/46/51
-  white
-  Suntour SF10 NEX 4610 MLO, Travel: 63, S: Coil Spring, A: Preload Adjuster, mechan. Lockout
-  Shimano Alivio Rapidfire plus
-  Shimano Deore
-  Shimano Alivio
-  Shimano HG40-8
-  Shimano M361 48Z
-  Wellgo C127, Alloy MTB Pedal symmetric
-  Shimano Alivio, Shimano M422 V-Brake
-  Shimano RM60
-  Ambrosio Keba, Alloy
-  Schwalbe Tyrago 37-622
-  Ritchey OE Press-Fit integrated
-  Kalloy AS-820 inclination adjustable
-  Kateem 064 Lowrizer 590
-  KTM VLG-709AD Comfortgrip
-  KTM VL-3127 Man/VL-4104 Lady
-  Suntour NEX parallelogram-suspended
-  14,0 kg without pedals and kickstand

LIFE TRACK

-  46/51/56/60 >< D: 43/46/51/56
-  1. black/white, 2. midnightblue
-  Suntour SF10 NEX 4610 MLO, Travel: 63, S: Coil Spring, A: Preload Adjuster, mechan. Lockout
-  Shimano STEF60-8 Easyfire plus
-  Shimano Alivio
-  Shimano M190
-  Shimano HG40-8
-  Shimano M191 48Z
-  Wellgo C127, Alloy MTB Pedal symmetric
-  Shimano Alloy lever, Shimano M422 V-Brake
-  Shimano RM60
-  Rigida ZAC2000, Alloy
-  Schwalbe Tyrago 37-622
-  Ritchey OE Press-Fit integrated
-  Kateem AS-009 17"
-  Kateem 064 Lowrizer 590
-  KTM VLG-709AD Comfortgrip
-  KTM VL-3127 Man/VL-4104 Lady
-  Kateem SP-614
-  13,4 kg without pedals and kickstand

LIFE ONE

-  46/51/56/60 >< D: 46/51
-  1. black, 2. white
-  Suntour SF10 NEX 4110, Travel: 63, S: Coil Spring, A: Preload Adjuster
-  Shimano STEF50-8 Easyfire
-  Shimano Acera
-  Shimano M190
-  Shimano HG40-8
-  Shimano M151 48Z
-  Wellgo C127, Alloy MTB Pedal symmetric
-  Shimano Alloy lever, Tektro 837-ALV-Brake
-  Shimano RM40,
-  Shimano RM30-8
-  Remerx Dragon, Alloy
-  Traxx Citytraxx 37-622
-  Ritchey OE Press-Fit integrated
-  Kateem AS-009 17"
-  Kateem AL027 Rizer
-  KTM VLG-311
-  KTM VL-3127 Man/VL-4104 Lady
-  Kateem SP-359
-  13,6 kg without pedals and kickstand

KTM FAHRRAD GMBH

Harlochner Straße 13
5230 Mattighofen
Austria

www.ktm-bikes.at